0 Cobus Color Sel 2000 On Soyar BIG) Via del Dosci, 7 Tel. +39 015 265141 Fax -39 015 2651431 C.F. & P. Nos 2657639161	Cebos Color Srl	Revision n. 2
info@cebos.it www.ceboscolor.it		Revision date 14/05/2018
	SS 06.007 - CeboVitra More	Printed on 05/21/2018
		Page no. 1/11

Safety Data Sheet

SECTION 1. Identification of the substance / mixture and of the company / undertaking

1.1. Product identifier Code:

SS 06.007

Name

CeboVitra More

1.2. Relevant identified uses of the substance or mixture and uses advised against

Decorative protective wall finish based on polyurethane resins for interiors. Description / Use

1.3. Information on the supplier of the safety data sheet Business

name Cebos Color Srl

Address Via Dei Dossi n. 7 24040 Location and State OSIO SOPRA (BG) ITALY

tel. (+39) 035 265141 fax (+39) 035 2651431

e-mail of the competent person,

responsible for the safety data sheet carlo@cebos.it Responsible for placing on the market: Cebos Color Srl

1.4. Emergency telephone number For

urgent information contact Poison Control Centers (CAV): Milan Tel. (+39) 02 66101029; Rome Tel. (+39) 06 3054343;

Naples Tel. (+39) 081 7472870; Catania Tel. (+39) 095 7594120.

Technical information: Cebos Color Tel. (+39) 035 265141 (Mon-Fri 8.30 / 12.30 -

13.30 / 18.00)

SECTION 2. Hazards identification

2.1. Substance or mixture classification

The product is classified as dangerous pursuant to the provisions of Regulation (EC) 1272/2008 (CLP) (and subsequent amendments and adjustments). The product therefore requires a safety data sheet compliant with the provisions of Regulation (EU) 2015/830.

Any additional information regarding risks to health and / or the environment are given in sections. 11 and 12 of this sheet.

Hazard classification and indications:

Reproductive toxicity, category 1B Serious H360D It can harm the unborn child. eye damage, category 1 H318 Causes serious eye damage.

2.2. Label elements

Danger labeling pursuant to Regulation (EC) 1272/2008 (CLP) and subsequent amendments and adjustments.

Hazard pictograms:



Cebos Color Srl

SS 06.007 - CeboVitra More

Revision n. 2

Revision date 14/05/2018

Printed on 05/21/2018

Page no. 2/11





Warnings: Danger

Hazard statements:

H360D It can harm the unborn child. H318 Causes serious eye damage.

Restricted use to professional users.

Precautionary advice:

P202 Do not manipulate before reading and understanding all warnings.

P305 + P351 + P338 IN CASE OF CONTACT WITH THE EYES: rinse thoroughly for several minutes. Remove any contact lenses if easy to do.

Continue rinsing.

P308 + P313 IN CASE of exposure or possible exposure, consult a physician. Dispose of

P501 the product / container in authorized landfills P201 Obtain specific instructions before use.

P280 Wear protective gloves / clothing and protect eyes / face. Immediately

P310 call a POISON CENTER / doctor /. . .

Contains: 1-ethylpyrrolidin-2-one

2.3. Other dangers

On the basis of available data, the product does not contain PBT or vPvB substances in percentage greater than 0.1%.

SECTION 3. Composition / information on ingredients

3.1. Substances

Not relevant information

3.2. Blends

Contains:

Identification x = Conc.% Classification 1272/2008 (CLP)

1-ethylpyrrolidin-2-one


CAS 2687-91-4 $6 \le x < 7$ Repr. 1B H360D

THERE IS 220-250-6

INDEX 616-208-00-5

The full wording of the hazard statements (H) is given in section 16 of the sheet.

SECTION 4. First aid measures



4.1. Description of first aid measures

EYES: Remove any contact lenses. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids well. Consult a physician if the problem persists.

SKIN: Take off contaminated clothing. Wash immediately and abundantly with water. If irritation persists, consult a physician. Wash the contaminated garments before reusing them.

INHALATION: Take the subject to fresh air. If breathing is difficult, call a doctor right away.

INGESTION: Get medical attention immediately. Induce vomiting only on medical advice. Do not administer anything by mouth if the subject is unconscious and if not authorized by the doctor.

4.2. Most important symptoms and effects, both acute and delayed

No specific information on symptoms and effects caused by the product is known.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Fire fighting

SUITABLE EXTINGUISHING MEDIA

The extinguishing media are the traditional ones: carbon dioxide, foam, powder and nebulized water.

UNSUITABLE EXTINGUISHING MEDIA

No one in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Avoid breathing combustion products.

5.3. Recommendations for firefighters

GENERAL INFORMATIONS

Cool the containers with jets of water to avoid product decomposition and the development of substances potentially hazardous to health. Always wear full fire protection equipment. Collect the extinguishing water which must not be discharged into the sewers. Dispose of the contaminated water used for extinguishing and the residue of the fire according to current regulations.

EQUIPMENT

Normal clothing for firefighting, such as an open circuit compressed air breathing apparatus (EN 137), flame retardant suit (EN469), flame retardant gloves (EN 659) and fire brigade boots (HO A29 or A30).


SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Stop the leak if there is no danger.

Wear suitable protective equipment (including personal protective equipment referred to in section 8 of the safety data sheet) to prevent contamination of skin, eyes and personal clothing. These indications are valid both for the workers and for emergency interventions.

6.2. Environmental precautions



Prevent the product from entering sewers, surface water, groundwater.

6.3. Methods and materials for containment and cleaning up

Suck up the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment. Evaluate the compatibility of the container to be used with the product, checking section 10. Absorb the remainder with inert absorbent material.

Provide sufficient ventilation of the place affected by the leak. The disposal of contaminated material must be carried out in accordance with the provisions of point 13.

6.4. Reference to other sections

Any information regarding personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for Safe Handling

Handle the product after consulting all the other sections of this safety data sheet. Avoid the dispersion of the product in the environment. Do not eat, drink or smoke during use. Remove contaminated clothing and protective equipment before entering eating areas.

7.2. Conditions for safe storage, including any incompatibilities

Keep only in the original container. Keep the containers closed, in a well-ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, checking section 10.

7.3. Specific end uses

Information not available

SECTION 8. Exposure controls / personal protection

8.1. Control parameters

Information not available

8.2. Exposure controls

Considering that the use of adequate technical measures should always take priority over personal protective equipment, ensure good ventilation in the workplace through effective local exhaust.

For the choice of personal protective equipment, if necessary, seek advice from your chemical suppliers. Personal protective equipment must bear the CE mark which certifies their compliance with current regulations.

Provide an emergency shower with face and eye basin.

HAND PROTECTION

Protect hands with category III work gloves (ref. Standard EN 374).

For the final choice of the material of the work gloves it is necessary to consider: compatibility, degradation, breakage time and permeation.

In the case of preparations, the resistance of work gloves to chemical agents must be checked before use as it is not foreseeable. Gloves have a wear time that depends on the duration and method of use.

SKIN PROTECTION

Wear category I professional long-sleeved work clothes and safety footwear (ref. Directive 89/686 / EEC and standard EN ISO 20344). Wash with soap and water after removing protective clothing.



Cebos Color Srl

SS 06.007 - CeboVitra More

Revision n. 2

Revision date 14/05/2018

Printed on 05/21/2018

Page no. 5/11

EYE PROTECTION

It is recommended to wear a hooded visor or protective visor combined with airtight goggles (ref. Standard EN 166).

RESPIRATORY PROTECTION

In case of exceeding the threshold value (eg TLV-TWA) of the substance or of one or more of the substances present in the product, it is recommended to wear a mask with a type B filter whose class (1, 2 or 3) must be chosen in relation to the limit concentration of use. (ref. standard EN 14387). If there are gases or vapors of a different nature and / or gases or vapors with particles (aerosols, fumes, mists, etc.), combined filters must be provided. The use of respiratory protection means is necessary in case the technical measures adopted are not sufficient to limit the exposure of the worker to the threshold values taken into consideration. The protection offered by the masks is however limited.

In the event that the substance in question is odorless or its olfactory threshold is higher than the relative TLV-TWA and in the event of an emergency, wear an open-circuit compressed air breathing apparatus (ref. Standard EN 137) or a self-contained breathing apparatus. outdoor air (ref. EN 138 standard). For the correct choice of the respiratory protection device, refer to the EN 529 standard.

ENVIRONMENTAL EXPOSURE CONTROLS

Emissions from manufacturing processes, including those from ventilation equipment should be controlled for compliance with environmental protection legislation.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid

Color transparent white Odor characteristic Unavailable Odor threshold 7.5 - 9Unavailable Melting or freezing point Initial Unavailable boiling point Boiling range Flash Unavailable point Evaporation rate > 100 ° C Unavailable Flammability of solids and Unavailable gases Lower flammability limit Unavailable Upper flammability limit Lower Unavailable explosive limit Upper explosive Unavailable limit Vapor pressure Unavailable

Unavailable Unavailable

Relative density 1.06

Solubility partially soluble in water Not Partition coefficient: n-octanol / water: Auto-available

Partition coefficient: n-octanol / water: Autoignition temperature Unavailable
Decomposition temperature Unavailable
Viscosity Unavailable
Explosive properties Unavailable
Oxidizing properties Unavailable

9.2. Other information

Vapor density

VOC (Directive 2004/42 / EC): 2.00% - 21.20 g / liter 0

VOC (volatile carbon):

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.



Cebos Color Srl

Revision n. 2

Revision date 14/05/2018

Printed on 05/21/2018

Page no. 6/11

SS 06.007 - CeboVitra More

10.2. Chemical stability

The product is stable under normal conditions of use and storage.

10.3. Possibility of hazardous reactions

In normal conditions of use and storage no dangerous reactions are foreseeable.

10.4. Conditions to avoid

None in particular. However, follow the usual precautions towards chemicals.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

11.1. Information on toxicological effects

Metabolism, kinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects and chronic effects from short and long term exposure

Information not available


Interactive effects

Information not available

ACUTE TOXICITY

LC50 (Inhalation) of the mixture:
Not classified (no relevant component) LD50
(Oral) of the mixture:
Not classified (no relevant component) LD50
(Dermal) of the mixture:
Not classified (no relevant component)

SKIN CORROSION / SKIN IRRITATION



It does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / EYE IRRITATION

Causes serious eye damage

RESPIRATORY OR SKIN SENSITIZATION

It does not meet the classification criteria for this hazard class

MUTAGENICITY ON GERMINAL CELLS

It does not meet the classification criteria for this hazard class

CARCINOGENICITY

It does not meet the classification criteria for this hazard class

REPRODUCTION TOXICITY

It can harm the unborn child

SPECIFIC TARGET ORGAN TOXICITY (STOT) - SINGLE EXPOSURE

It does not meet the classification criteria for this hazard class

SPECIFIC TARGET ORGAN TOXICITY (STOT) - REPEATED EXPOSURE

It does not meet the classification criteria for this hazard class

DANGER IN CASE OF SUCTION

It does not meet the classification criteria for this hazard class

SECTION 12. Ecological information

Use according to good working practices, avoiding to disperse the product in the environment. Notify the competent authorities if the product has reached water courses or if it has contaminated the soil or vegetation.

12.1. Toxicity

Information not available

12.2. Persistence and degradability


Information not available

12.3. Bioaccumulation potential




Not applicable

14.4. Packing group



Substances subject to the Rotterdam Convention:



None

Substances subject to the Stockholm Convention:

None

Sanitary checks

Workers exposed to this chemical agent dangerous to health must be subjected to health surveillance carried out in accordance with the provisions of art. 41 of Legislative Decree 81 of 9 April 2008 unless the risk to the safety and health of the worker has been assessed as irrelevant, in accordance with the provisions of art. 224 paragraph 2.

SECTION 16. Other information

Text of hazard (H) indications mentioned in sections 2-3 of the sheet:

Repr. 1B Reproductive toxicity, category 1B Serious


Eye Dam. 1 eye damage, category 1
H360D It can harm the unborn child.
H318 Causes serious eye damage.

LEGEND:

- ADR: European agreement for the transport of dangerous goods by road
- CAS NUMBER: Number of the Chemical Abstract Service
- EC50: Concentration affecting 50% of the population under test
- CE NUMBER: Identification number in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived no effect level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System for Classification and Labeling of Chemicals
- IATA DGR: Regulations for the transport of dangerous goods of the International Air Transport Association
- IC50: Concentration of immobilization of 50% of the population subject to testing
- IMDG: International maritime code for the transport of dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identification number in Annex VI of the CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- OEL: Occupational exposure level
- PBT: Persistent, bioaccumulating and toxic according to REACH
- PEC: Predicted environmental concentration
- PEL: Predictable level of exposure
- PNEC: Predicted No Effect Concentration
- REACH: EC Regulation 1907/2006
- RID: Regulations for the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that must not be exceeded during any moment of occupational exposure.
- TWA STEL: Short term exposure limit
- TWA: Weighted average exposure limit
- VOC: Volatile organic compound
- vPvB: Very persistent and very bioaccumulating according to REACH
- WGK: Water hazard class (Germany).

GENERAL BIBLIOGRAPHY:

- 1. Regulation (EC) 1907/2006 of the European Parliament (REACH)
- 2. Regulation (EC) 1272/2008 of the European Parliament (CLP)
- 3. Regulation (EU) 790/2009 of the European Parliament (I Atp. CLP)



- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 of the European Parliament (II Atp. CLP)
- 6. Regulation (EU) 618/2012 of the European Parliament (III Atp. CLP)
- 7. Regulation (EU) 487/2013 of the European Parliament (IV Atp. CLP)
- 8. Regulation (EU) 944/2013 of the European Parliament (V Atp. CLP)
- 9. Regulation (EU) 605/2014 of the European Parliament (VI Atp. CLP)
- 10. Regulation (EU) 2015/1221 of the European Parliament (VII Atp. CLP)
- 11. Regulation (EU) 2016/918 of the European Parliament (VIII Atp. CLP)
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- NI Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA Agency website
- Database of SDS models of chemical substances Ministry of Health and National Institute of Health

Note for the user:

The information contained in this sheet is based on the knowledge available to us at the date of the latest version. The user must ensure the suitability and completeness of the information in relation to the specific use of the product.

This document should not be construed as a guarantee of any specific property of the product.

Since the use of the product does not fall under our direct control, the user is obliged to observe the laws and regulations in force regarding hygiene and safety under his own responsibility. No responsibility is assumed for improper use.

Provide adequate training for personnel assigned to use chemical products.

Changes compared to the previous revision The following sections have been made changes: 02/04/09/11.