#### Compliant with regulation (EC) 1907/2006 (REACH), Annex II - Italy



# **AkzoNobel**

# **SAFETY DATA SHEET**

#### **HERBOXAN QUARTZ**

## SECTION 1: identification of the substance / mixture and of the company / undertaking

1.1. Product identifier Product

HERBOXAN QUARTZ name

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of the Product** Water-based paint for exteriors.

1.3. Information on the supplier of the safety data sheet

Akzo Nobel Coatings SpA Via

Pietro Nenni 14,

28053 Castelletto sopra Ticino,

Tel. +39 0331 916611 Internet: www.herbol.it

E-mail address of the **Responsible person** of the safety data sheet

:service.clienti@akzonobel.com

1.4 Emergency telephone number

**Telephone number** 

: Telephone number: +39 0331 916611 (active 24/7) International AkzoNobel

emergency number: +31 71 3086944 (active 24/7)

Version : 18

**Date of issue** 21-12-2018

previous one

:14-6-2019 Page: 1/17 revision

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

**Product definition:**Blend

Classification according to EC Regulation No. 1272/2008 [CLP / GHS]

Aquatic Chronic 3, H412

his product is classified as dangerous according to Regulation (EC) 1272/2008 and subsequent amendments.

**Ingredients of** 

unknown toxicity

: 0%

**Ingredients of unknown** 

ecotoxicity

: 0%

See section 16 for the full text of the hazard statements mentioned above. For more detailed information on health effects and symptoms, see Section 11.

2.2 Label elements

Warning : No warnings.

**Hazard statements** : H412 - Harmful to aquatic life with long lasting effects.

**Precautionary advice** 

: P102 - Keep out of reach of children. General

P101 - If a doctor is consulted, have the product container or label available.

**Prevention** : P262 - Avoid contact with eyes, skin or clothing.

Reaction : P312 - If you feel unwell, call a POISON CENTER or doctor. Not applicable.

storage

**Disposal** : P501 - Dispose of product and container in accordance with local, regional, national,

international regulations.

**Additional elements** 

of the label

: Contains 1,2-benzisothiazol-3 (2H) -one, methylisothiazolinone, C (M) IT / MIT (3: 1) and

2-octyl-2H-isothiazol-3-one. It can cause an allergic reaction.

**Annex XVII - Restrictions on** the manufacture, placing on the market and use of certain

substances, preparations and articles

dangerous

**Special Packaging Obligations** 

**Containers that must** 

be equipped with a child

safety lock

: Not applicable.

: Not applicable.

**Tactile warning of** 

danger

: Not applicable.

2.3 Other dangers

**Voluntary element** of the label (CEPE)

: Contains methylisothiazolinone

Other dangers not mentioned in the classification

: None known.

# **SECTION 3: Composition / information on ingredients**

3.2 Mixtures :Blend

Date of issue / Date of :14-6-2019 Page: 2/17 revision

# SECTION 3: Composition / information on ingredients

Product name/ ingredient	Identifiers	%	Regulation (EC) n. 1272/2008 [CLP]	Guy
<b>ø</b> furon	CE: 206-354-4 CAS number: 330-54-1	≤0.1	Acute Tox. 4, H302 Carc. 2, H351 STOT RE 2, H373 (oral) Aquatic	[1]
zinc pyrithione	Index: 006-015-00-9 CE: 236-671-3 CAS number: 13463-41-7	<0.1	Acute 1, H400 (M = 10) Aquatic Chronic 1, H410 (M = 10) Acute Tox. 3, H301 Acute Tox. 3, H331 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M = 100)	[1]
1,2-benzisothiazol-3 (2H) -one	CE: 220-120-9 CAS number: 2634-33-5 Index:	<0.05	Aquatic Chronic 1, H410 (M = 1) Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M = 10)	[1]
Octilinone (ISO)	613-088-00-6 CE: 247-761-7 CAS number: 26530-20-1 Index: 613-112-00-5	≤0.04	Acute Tox. 4, H302  Acute Tox. 3, H311 Acute Tox. 3, H331 Skin Corr. 1B, H314 Eye  Dam. 1, H318 Skin Sens. 1, H317  Aquatic Acute 1, H400 (M = 10)  Aquatic Chronic 1, H410 (M = 10)  Acute Tox. 3, H301	[1]
methylisothiazolinone	CAS number: 2682-20-4 Index: self classification	≤0.055	Acute Tox. 3, H311 Acute Tox. 4, H332 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 STOT SE 3, H335 Aquatic Acute 1, H400 (M = 10)	[1]
toluene	REACH #: 01-2119471310-51 CE: 203-625-9 CAS number: 108-88-3 Index: 601-021-00-3	≤0.1	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361d (Unborn child) STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304	[1] [2]
C (M) IT / MIT (3: 1)	REACH #: 01-2120764691-48 CAS number: 55965-84-9 Index: 613-167-00-5	<0.0015	Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 3, H331 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M = 1) Aquatic Chronic 1, H410 (M = 1) Flam. Liq. 2, H225	[1]
Methanol	CE: 200-659-6 CAS number: 67-56-1 Index: 603-001-00-X	<0.1	Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 3, H331 STOT SE 1, H370	[1] [2]
ethan-1,2-diol	CE: 203-473-3 CAS number: 107-21-1 Index:	≤0.1	Acute Tox. 4, H302	[1] [2]
2-ethoxyethanol	603-027-00-1 CE: 203-804-1 CAS number: 110-80-5 Index: 603-012-00-X	≤0.1	Flam. Liq. 3, H226 Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Repr. 1B, H360FD (Fertility and Unborn Child)	[1] [2]

Date of issue / Date of revision

:14-6-2019

Page: 3/17

# **SECTION 3: Composition / information on ingredients**

	•		3	
2-Methoxyethanol	CE: 203-713-7	≤0.1	Flam. Liq. 3, H226	[1] [2]
	CAS number:		Acute Tox. 4, H302	
	109-86-4		Acute Tox. 4, H312	
	Index:		Acute Tox. 4, H332	
	603-011-00-4		Repr. 1B, H360FD (Fertility and Unborn	
			Child) See section 16 for the full text of	
			the	
			danger	
			mentioned above.	

There are no additional ingredients which, in the current knowledge of the supplier and in the applicable concentrations, are classified as dangerous for health or the environment, meet the PBT or vPvB criteria or are considered as substances with an equivalent degree of problematicity or substances to which an occupational exposure limit has been assigned and should therefore be reported in this section.

#### Guy

- Substance presenting a health or environmental hazard
- [2] Substance for which there are workplace exposure limits
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern
- [6] Additional information related to company policy

Occupational exposure limits, if known, are listed in section 8.

#### **SECTION 4: first aid measures**

#### 4.1 Description of first aid measures General

: If in doubt or if symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If the victim is unconscious, have him assume the safety position and call the doctor.

**Eye contact** 

: Remove contact lenses, rinse thoroughly with clean, fresh water, holding the eyelids open for at least 10 minutes and seek immediate medical attention.

By inhalation

: Bring to fresh air. Keep the person warm and at rest. In case of lack of breathing, irregular breathing or respiratory arrest, give artificial respiration or have oxygen administered by trained personnel.

**Skin contact** 

: Remove contaminated clothing and shoes. Wash thoroughly with soap and water or use an effective skin cleanser. DO NOT use solvents or thinners.

**Ingestion** 

: If swallowed, seek medical advice immediately and show the container or label. Keep the person warm and at rest. DO NOT induce vomiting.

**Protection of rescuers** 

: No action shall be taken involving any personal risk or without suitable training. Performing mouth-to-mouth resuscitation can be dangerous for the person helping.

#### 4.2 Most important symptoms and effects, both acute and delayed

There are no data available on the mixture itself. The mixture was evaluated following the conventional method of the CLP regulation (EC) No. 1272/2008 and is consequently classified according to its toxicological properties. For more details, see Sections 2 and 3.

Exposure to solvent vapor concentrations above the pre-established occupational limit can be harmful to health, causing irritation of the mucous membranes and respiratory tract with adverse effects on the kidneys, liver and central nervous system. Symptoms include headaches, dizziness and dizziness, fatigue, muscle weakness, drowsiness, and in extreme cases, loss of consciousness.

Solvents may cause some of the aforementioned effects via skin absorption. Repeated or prolonged contact with the mixture can result in the removal of natural skin fat, resulting in non-allergic contact dermatitis and absorption through the skin

Contact of the liquid with the eyes can cause irritation and reversible damage.

Ingestion can cause nausea, diarrhea and vomiting.

If known, delayed and immediate effects, as well as chronic effects of the resulting components, are taken into account

Date of issue / Date of revision

:14-6-2019

Page: 5/17

#### HERBOXAN QUARTZ

#### SECTION 4: first aid measures

from short and long-term exposure, by the oral and dermal route, by inhalation and by contact with the eyes.

Contains 1,2-benzisothiazol-3 (2H) -one, 2-octyl-2H-isothiazol-3-one, methylisothiazolinone, C (M) IT / MIT (3: 1). It can cause an allergic reaction.

#### 4.3 Indication of any immediate medical attention and special treatment needed Notes to physician

: Treat symptomatically. If large quantities are ingested or inhaled, contact a poison

control center immediately.

: No specific treatment. **Specific treatments** 

See Section 11 for Toxicological Information (Section 11)

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media :Recommended: alcohol resistant foam,CO<sub>2</sub>,powders, water spray.

Unsuitable extinguishing

media

:Do not use full jet water.

#### 5.2 Special hazards arising from the substance or mixture

Hazards arising from the substance or mixture

: Any fires develop thick black smoke. Exposure to decomposition products can be dangerous to health.

**Hazardous Combustion Products** 

: Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, nitrogen oxides.

#### 5.3 Recommendations for firefighters

**Special actions of** protection for firefighters

: Cool closed containers exposed to flames with water. Do not channel the products of a fire into drains or water courses.

**Special protective** equipment for personnel fire fighting

: The use of a self-contained breathing apparatus may be required.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For those who do not intervene directly

: Remove any sources of ignition and ventilate the room. Avoid breathing vapors or mists. Consult the protective measures listed in sections 7 and 8.

For those who intervene directly

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency service operators".

#### **6.2 Environmental precautions:**

Do not dispose of the product in the sewer system and water courses. In case of contamination by the product of lakes, rivers or waste water, inform the competent authorities in accordance with current legislation.

#### 6.3 Methods and materials for: containment and

quenching and tempering

Contain and collect any spills with non-combustible absorbent material, such as sand, earth, vermiculite, diatomite and dispose of the product in a container in accordance with current legislation (see Section 13). Clean, preferably using a detergent. Avoid using solvents.

Date of issue / Date of :14-6-2019 revision

#### **SECTION 6: Accidental release measures**

6.4 Reference to other sections

: For emergency telephone numbers, see Section 1. See Section 8 for information on appropriate personal protective equipment.

For more information on waste treatment, refer to Section 13.

# **SECTION 7: handling and storage**

The information contained in this section contains general information and warnings. Refer to the list of Identified Uses in Section 1 for specific information available provided in the exposure scenario (s).

# 7.1 Precautions for safe handling

:Prevent the development of flammable or explosive vapor concentrations in the air o that exceed the occupational exposure limits.

Also, use the product only in rooms from which all naked flame lamps and other sources of ignition have been removed. Protect electrical equipment according to appropriate standards.

The mixture can become electrostatically charged: always use ground connections when transferring it from one container to another.

Operators must wear antistatic shoes and clothing, while floors must be conductive.

Keep away from sources of heat, sparks and flames. Do not use any tools that cause sparks.

Avoid contact with eyes and skin. Avoid inhalation of dust, particulates, aerosols or mists deriving from the application of this mixture. Avoid inhalation of dust deriving from sandblasting.

It is forbidden to eat, drink and smoke in areas where the material is handled, stored or treated.

Put on appropriate personal protective equipment (see Section 8).

Never empty the product by subjecting it to pressure. The container is not pressurized.

Always keep the material in the original container.

Observe the provisions of the laws relating to health and safety in the workplace.

Do not dispose of the product in the sewer system and water courses. **Information on fire and explosion protection** 

Vapors are heavier than air and can spread over floors. Vapors can form explosive mixtures with air.

When the workers, for spraying or other operations, have to work inside the spray booth, the suction conditions are probably insufficient to keep the particulates and solvent vapors under control. In such circumstances they must wear ventilated breathing systems during spraying operations and this until the concentrations of particulate matter and solvent vapors have fallen below the exposure limits.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store according to local regulations.

#### Notes on shared storage

Keep away from: oxidizing agents, strong alkalis, strong

#### acids. Additional information on storage conditions

Observe the precautions on the label. Store in a dry, cool and well-ventilated area. Keep away from heat and direct sunlight. Keep away from sources of ignition. Smoking prohibited. Access prohibited to outsiders. Open containers must be carefully resealed and kept straight to prevent accidental product spillage.

#### 7.3 Specific end uses

Warnings
Specific guidelines for the industrial sector

Unavailable.Unavailable.

:14-6-2019 Page: 6/17

Date of issue / Date of revision

# SECTION 8: Exposure controls / personal protection

The information contained in this section contains general information and warnings. The information provided refers to the typical uses envisaged for the product. Additional measures may be needed for bulk processing or other uses that could significantly increase worker exposure or emissions to the environment.

#### 8.1 Control parameters

#### **Occupational exposure limits**

Name of the product / ingredient	Exposure limit values
toluene	Ministry of Labor and Social Policies (Italy, 10/2013). Absorbed through the skin.
	8 hours: 50 ppm 8 hours. 8
	hours: 192 mg / m <sup>3</sup> 8 hours.
methanol	Ministry of Labor and Social Policies (Italy, 10/2013).
	Absorbed through the skin.
	8 hours: 200 ppm 8 hours. 8
	hours: 260 mg / m <sup>3</sup> 8 hours.
ethan-1,2-diol	Ministry of Labor and Social Policies (Italy, 10/2013).
	Absorbed through the skin.
	8 hours: 20 ppm 8 hours. 8
	hours: 52 mg / m <sup>3</sup> 8 hours.
	Short Term: 40ppm 15 minutes. Short
	Term: 104 mg / m <sup>3</sup> 15 minutes.
2-ethoxyethanol	Ministry of Labor and Social Policies (Italy, 10/2013).
	Absorbed through the skin.
	8 hours: 2 ppm 8 hours. 8
	hours: 8 mg / m <sup>3</sup> 8 hours.
2-methoxyethanol	Ministry of Labor and Social Policies (Italy, 10/2013).
	Absorbed through the skin.
	8 hours: 0.5 ppm 8 hours.

#### **Monitoring Procedures:** Recommended

If this product contains ingredients with exposure limits, personal, workplace atmosphere and biological monitoring may be required to determine the effectiveness of ventilation or other control measures and / or the need to use protective equipment respiratory. Refer to the monitoring standards, such as the following: European standard EN 689 (Atmosphere in the workplace - Guidance on the assessment of exposure by inhalation to chemical compounds for the purpose of comparison with limit values and measurement strategy) Standard European EN 14042 (Atmospheres in the workplace - Guide to the application and use of procedures for assessing exposure to chemical and biological agents) European standard EN 482 (Atmospheres in

#### **DNEL / DMEL**

No DNEL / DMEL available.

#### **PNEC**

No PNECs available.

#### 8.2 Exposure controls Appropriate

engineering controls

Provide adequate ventilation. When reasonably possible, this can be achieved by means of replacement ventilation and good general aspiration. If it is impossible to keep the concentrations of solvent vapors and powders below the occupational exposure limit, wear suitable means of respiratory protection.

#### **Individual protection measures**

Date of issue / Date of :14-6-2019 Page: 7/17

## **SECTION 8: Exposure controls / personal protection**

#### **Hygiene measures**

: Before eating, smoking and using the lavatory and at the end of the working period, wash your hands, arms and face thoroughly after handling chemicals. Appropriate techniques should be used to remove potentially contaminated clothing. Wash the contaminated garments before reusing them. Make sure that the eyewash stations and emergency showers are close to the place of use.

#### Eye / face protection

: Use protective goggles to prevent accidental penetration of liquids into the eyes.

# Skin protection Hand protection

**Gloves** 

: Recommended gloves are product containing common solvents. When frequent or prolonged contact is expected, the use of class 6 protective gloves is recommended (permeation time greater than 480 minutes according to EN 3740-3). In the case of occasional contact, the use of class 2 protective gloves is recommended ( breakthrough time greater than 2 hours according to EN 3740-3)

NB. The choice of gloves must also take into account other specific processes carried out in the workplace, for example the presence of other chemicals, physical risks and possible allergic reactions to the material used for the production of the glove, therefore consult your trusted supplier.

The user must check that the final choice of type of glove for handling this product is the most appropriate and takes into account the particular conditions of use, as specified in the user's risk assessment.

Gloves must be replaced regularly and whenever there are signs of damage to the material they are made of.

Always ensure that gloves are free from defects and that they are stored and used correctly.

Device of body protection Other devices of skin protection

- : Personnel must wear antistatic clothing made of natural fiber or synthetic fiber resistant to high temperatures.
- : Choose appropriate footwear and any additional skin protection measures based on the activity being carried out and the inherent risks. Such choices must be approved by a specialist before handling this product.

#### **Respiratory protection**

If workers are exposed to concentrations above the exposure limit, use appropriate, certified respirators.

Treatments such as sanding, sandblasting or flame removal, etc., of the paint layers, can generate dangerous dust and / or fumes. Wet sanding should be used wherever possible. Respiratory protection in case of dust or spray mist formation. (particulate filter EN143 type P2) Respiratory protection in case of vapor formation. (half mask with A2-P2 combined filter up to concentrations of 0.5% by volume.)

# **Environmental exposure controls**

: Do not dispose of the product in the sewer system and water courses.

#### **SECTION 9: physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties\_

#### **Appearance**

Physical state : Liquid.

Color : Miscellaneous: See
Odor : label. Unavailable.
Odor threshold : Unavailable.
pH : Unavailable.

Melting point / freezing

point

: Unavailable.

Date of issue / Date of revision

#### **SECTION 9: physical and chemical properties**

Initial boiling point and

boiling range

: 100 ° C

Flash point Evaporation

rate

Not applicable.Unavailable.

Upper / lower flammability or

explosive limits

: Unavailable.

Vapor pressure: Unavailable.Vapor density: Unavailable.

**Relative density** : 1,668

**Solubility (the solubilities)** : Easily soluble in the following materials: cold water.

Partition coefficient:

noctanol / water

: Unavailable.

Temperature of self-ignition

: Unavailable.

Temperature of

: Unavailable.

decomposition Viscosity

: Kinematic (room temperature): 9.59 cm<sub>2</sub>/ s Not

Explosive properties : available.

Oxidizing properties : Unavailable.

9.2. Other information

**Solubility in water** : Unavailable.

### **SECTION 10: stability and reactivity**

**10.1 Reactivity** : No specific test data related to reactivity available for this product or its

ingredients.

**10.2 Chemical stability** : The product is stable under the recommended handling and storage conditions

(see section 7).

10.3 Possibility of reactions: Under normal conditions of storage and use, hazardous reactions will not occur. dangerous

**10.4 Conditions to avoid** : If exposed to high temperatures it can produce dangerous decomposition

products.

**10.5 Incompatible materials:** To avoid strong exothermic reactions, keep away from the following materials: oxidizing

agents, strong alkalis, strong acids.

**10.6 Products of** : Decomposition products may include the following materials: carbon

monoxide, carbon dioxide, smoke, nitrogen oxides.

# **SECTION 11: toxicological information**

#### 11.1 Information on toxicological effects

dangerous decomposition

There are no data available on the mixture itself. The mixture was evaluated following the conventional method of the CLP regulation (EC) No. 1272/2008 and is consequently classified according to its toxicological properties. For more details, see Sections 2 and 3.

Exposure to solvent vapor concentrations above the pre-established occupational limit can be harmful to health, causing irritation of the mucous membranes and respiratory tract with adverse effects on the kidneys, liver and central nervous system. Symptoms include headaches, dizziness and dizziness, fatigue, muscle weakness, drowsiness, and in extreme cases, loss of consciousness.

Solvents may cause some of the aforementioned effects via skin absorption. Repeated or prolonged contact with the mixture can result in the removal of natural skin fat, resulting in non-allergic contact dermatitis and absorption through the skin.

Date of issue / Date of :14-6-2019 Page: 9/17

revision

# **SECTION 11: toxicological information**

Contact of the liquid with the eyes can cause irritation and reversible damage.

Ingestion can cause nausea, diarrhea and vomiting.

If known, the delayed and immediate effects, as well as the chronic effects of the components deriving from short and long-term exposure, by the oral and dermal route, by inhalation and by contact with the eyes, are taken into account.

Contains 1,2-benzisothiazol-3 (2H) -one, 2-octyl-2H-isothiazol-3-one, methylisothiazolinone, C (M) IT / MIT (3: 1). It can cause an allergic reaction.

#### **Acute toxicity**

**Conclusion / Summary** 

:Unavailable.

**Acute toxicity estimates** 

Unavailable.

#### **Irritation / Corrosion**

Product name/ ingredient	Result	Species	Score	Exposure	Observation
1,2-benzisothiazol-3 (2H) -one	Skin - Mild irritant	Human	-	48 hours 5	-
				Percent	
Octilinone (ISO)	Eyes - Strongly irritating	Rabbit	-	100	-
, ,				milligrams	
coluene	Eyes - Mild irritant	Rabbit	_	0.5 minutes	-
	*			100	
				milligrams	
	Eyes - Mild irritant	Rabbit	_	870	-
				Micrograms	
	Eyes - Strongly irritating	Rabbit	_	24 hours 2	_
	2,00 20.01.9.9			milligrams	
	Skin - Mild irritant	Pig	_	24 hours 250	_
		19		microliters	
	Skin - Mild irritant	Rabbit	_	435	_
	Skiii iviiid ii rediic	T G D D T		milligrams	
	Skin - Moderately irritating	Rabbit	_	24 hours 20	_
	Skiii Woderdeery irritating	Rabbit		milligrams	
	Skin - Moderately irritating	Rabbit	_	500	
	Skiir - Woderately irritating	Kabbit		milligrams	-
C (NA) IT / NAIT (2, 1)	Skin - Severe irritant Eyes -	Human		0.01 Percent	
C (M) IT / MIT (3: 1) Methanol	Moderately	Rabbit	_	24 hours 100	
vietriarioi	_	Kabbit	-		-
	irritating Eyes - Moderately	Rabbit	_	milligrams	
		Kabbit	-	40 milligrams	-
	irritating	Dabbit		241 20	
	Skin - Moderately irritating	Rabbit	-	24 hours 20	-
- 4l 1 2 - 4i 1	Free Mildingitant	Dabbit		milligrams	
ethan-1,2-diol	Eyes - Mild irritant	Rabbit	-	24 hours 500	-
	Free Mildington	D - l- l- '+		milligrams	
	Eyes - Mild irritant	Rabbit	-	1 hours 100	-
		5 11.5		milligrams	
	Eyes - Moderately	Rabbit	-	6 hours 1440	-
	irritating			milligrams	
	Skin - Mild irritant	Rabbit	-	555	-
				milligrams	
2-ethoxyethanol	Eyes - Mild irritant	Piggy	-	10	-
		of India		Micrograms	
	Eyes - Mild irritant	Rabbit	-	24 hours 500	-
				milligrams	
	Eyes - Moderately	Rabbit	-	50 milligrams	-
	irritating				
	Skin - Mild irritant	Rabbit	-	500	-
				milligrams	
2-Methoxyethanol	Eyes - Mild irritant	Piggy	-	10	-
		of India		Micrograms	
	Eyes - Mild irritant	Rabbit	-	24 hours 500	-
				milligrams	
	Skin - Mild irritant	Rabbit	-	24 hours 483	-

Date of issue / Date of revision

:14-6-2019

Page: 10/17

# **SECTION 11: toxicological information**

milligrams

**Conclusion / Summary** 

**Conclusion / Summary** 

**Awareness raising** 

: Unavailable.: Unavailable.

**Mutagenicity** 

Conclusion / Summary : U

: Unavailable.

Carcinogenicity

Conclusion / Summary

: Unavailable.

**Reproductive toxicity** 

**Conclusion / Summary**: Unavailable.

**Teratogenicity** 

**Conclusion / Summary** : Unavailable.

#### Specific target organ toxicity (STOT) - single exposure

Name of the product / ingredient	Category	Via of exposure	Target organs
methylisothiazolinone	Category 3	' '	Irritation of the pathways respiratory

#### Specific target organ toxicity (STOT) - repeated exposure

Name of the product / ingredient	Category	Via of exposure	Target organs
diuron	Category 2	Orally	Not determined

**Aspiration hazard** Unavailable.

Other information :Unavailable.

# **SECTION 12: ecological information**

#### 12.1 Toxicity

There are no data available on the mixture itself.

Do not dispose of the product in the sewer system and water courses.

The mixture was evaluated following the summation method of the CLP regulation (EC) No. 1272/2008 and is consequently classified according to its ecotoxicological properties. See Sections 2 and 3 for more details.

Product name/ ingredient	Result	Species	Exposure
duron	Acute EC50 0.0023 mg / l Fresh water	Algae - Chlorella pyrenoidosa	96 hours
	Acute EC50 0.005 mg / I Fresh water	Aquatic plants - Lemna sp.	96 hours
	Acute EC50 8.6 mg / I Fresh water Acute	Daphnia - Daphnia magna	48 hours
	EC50 8.4 ppm Fresh water Acute IC50	Daphnia - Daphnia magna	48 hours
	2.41 μg / l Sea water	Aquatic plants - Halodule uninervis	72 hours
	Acute LC50 3044 μg / l Sea water	Crustaceans - Palaemon serratus - Zoea	48 hours
	Acute LC50 1.95 ppm Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Chronic EC10 0.11 µg / l Fresh water	Algae - Fragilaria capucina - Exponential growth phase	96 hours
	Chronic NOEC 0.34 μg / l Sea water	Aquatic plants - Zostera muelleri	72 hours
	Chronic NOEC 26.4 ppb	Fish - Pimephales promelas Fish	60 days
	Chronic NOEC 33.4 µg / l Fresh water	- Pimephales promelas - Embryo	63 days
zinc pyrithione	Acute EC50 0.51 μg / l Sea water	Algae - Thalassiosira	96 hours

Date of issue / Date of revision

:14-6-2019

Page: 11/17

# **SECTION 12: ecological information**

		pseudonana	
	Acute EC50 8.25 ppb Fresh water Acute	Daphnia - Daphnia magna Fish	48 hours
	LC50 2.68 ppb Fresh water Chronic	- Pimephales promelas Algae -	96 hours
	EC10 0.36 µg / l Sea water	Thalassiosira	96 hours
		pseudonana	
	Chronic NOEC 2.7 ppb Fresh water	Daphnia - Daphnia magna	21 days
1,2-benzisothiazol-3 (2H) -one	Acute EC50 1.5 mg / l	Dafnia - Daphnia magna	48 hours
	Acute EC50 0.4 mg / I	Dafnia - Pseudomonas putia	16 hours
	Acute EC50 97 ppb Fresh water	Daphnia - Daphnia magna	48 hours
	Acute IC50 0.067 mg / l	Algae - Pseudokirchneriella	72 hours
		subcapitata	
	Acute LC50 1.3 mg / I	Fish - Ochorhyncus mykiss Fish	96 hours
	Acute LC50 167 ppb Fresh water	- Oncorhynchus mykiss	96 hours
Octilinone (ISO)	Acute EC50 107 ppb Fresh water	Daphnia - Daphnia magna Fish	48 hours
	Acute LC50 47 ppb Fresh water	- Oncorhynchus mykiss	96 hours
	Chronic NOEC 74 ppb Fresh water	Daphnia - Daphnia magna Fish	21 days
	Chronic NOEC 8.5 ppb	- Pimephales promelas	35 days
methylisothiazolinone	Acute EC50 0.24 mg / l	Daphnia	48 hours
	Acute LC50 0.18 mg / l	Fish	96 hours
	Acute LC50 12.4 mg / l	Fish - Lepomis Macrochirus	96 hours
	Acute LC50 6 mg / l	Fish - Oncorhynchus Mykiss	96 hours
Methanol	Acute EC50 16.912 mg / l Marine water	Algae - Ulva pertusa	96 hours
	Acute EC50 12835 mg / l Fresh water	Fish - Lepomis macrochirus	96 hours
	Chronic NOEC 9.96 mg / I Marine water	Algae - Ulva pertusa	96 hours
ethan-1,2-diol	Acute LC50 41000000 μg / l Fresh	Daphnia - Daphnia magna -	48 hours
	water	Newborn	
	Acute LC50 43900 mg / l Fresh water	Fish - Pimephales promelas -	96 hours
		Juvenile	
2-Methoxyethanol	Acute LC50> 100 ppm Fresh water	Fish - Lepomis macrochirus	96 hours

**Conclusion / Summary** 

:Unavailable.

#### 12.2 Persistence and degradability

Conclusion / Summary :Unavailable.

#### 12.3 Bioaccumulative potential

Product name/ ingredient	LogPow	BCF	Potential
duron	2.84	5.2	low
zinc pyrithione	0.9	11	low
Octilinone (ISO)	2.45	-	low
toluene	2.73	90	low
Methanol	- 0.77	<10	low
ethan-1,2-diol	- 1.36	-	low
2-ethoxyethanol	- 0.32	-	low
2-Methoxyethanol	- 0.77	-	low

#### 12.4 Mobility in soil

Soil / water partition coefficient (K.oc)

: Unavailable.

Mobility : Unavailable.

#### 12.5 Results of PBT and vPvB PBT

assessmentvPvBNot applicable.Not applicable.

**12.6 Other adverse effects** :No known significant effects or critical hazards.

Date of issue / Date of revision

:14-6-2019

Page: 12/17

# **SECTION 13: Disposal considerations**

The information contained in this section contains general information and warnings. Refer to the list of Identified Uses in Section 1 for specific information available provided in the exposure scenario (s).

#### 13.1 Waste treatment methods

#### **Product**

#### **Methods of disposal**

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products must always be carried out in accordance with the legal indications on environmental protection and waste disposal and the requirements of each relevant local authority. Dispose of surplus and non-recyclable products through an authorized waste disposal company. Untreated waste should not be disposed of in the sewer system unless it fully complies with the requirements of each entity and legislation.

#### **Hazardous waste**

: The classification of the product could meet the criteria for hazardous waste.

# Considerations on the disposal

Do not dispose of the product in the sewer system and water courses. Dispose of in accordance with applicable regional, state and local laws. If this product is mixed with other wastes, the original refused code can no longer be applied and an appropriate code will need to be assigned. For more information, contact the responsible waste disposal agency.

#### **Packing**

#### **Methods of disposal**

: The generation of waste should be avoided or minimized wherever possible. Waste packaging must be recycled. Incineration or landfilling should only be considered when recycling is not practicable.

# Considerations on the disposal

: Using the information provided in this safety data sheet, contact the appropriate waste disposal authority for guidance on the classification of empty containers.

Empty containers must be discarded or reprocessed.

Dispose of containers contaminated by the product in accordance with local or national regulatory requirements.

Type of packaging		European Waste Catalog	
CEPE Paint Guidelines	15 01 10 *	packaging containing residues of dangerous substances or	
		contaminated by such substances	

#### **Special precautions**

Do not dispose of the product and the container except with due precautions. Care should be taken when handling emptied containers that have not been cleaned or rinsed. Empty containers or liners can retain product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

The information pertaining to IATA and ADN is considered irrelevant as the material is not packaged in the correct approved packaging required by these modes of transport.

	ADR	IMDG
14.1 UN number	Not regulated.	Not regulated.
14.2 Name of shipment of the UN	Not applicable.	Not applicable.
14.3 Classes of connected danger to transport		

Date of issue / Date of revision

:14-6-2019

Page: 13/17

# The information pertaining to IATA and ADN is considered irrelevant as the material is not packaged in the correct approved packaging required by these modes of transport.

Not applicable.	Not applicable.
	T and the second
-	-
Not applicable.	Not applicable.
No.	No.
	Unavailable.
Transport within the user's property:always carry out transport with closed containers, stored vertically and secured to the means of transport. Verify the suitability of the persons carrying out the transport to intervene effectively in the event of an accident and / or spill.	
Unavailable.	
	Not applicable.
:Not applicable.  of Code	
-	-
	Transport within the user's property:always carry out transport with closed containers, stored vertically and secured to the means of transport. Verify the suitability of the persons carrying out the transport to intervene effectively in the event of an accident and / or spill.  Unavailable.  :Not applicable.

# **SECTION 15: Regulatory information**

15.1 Health, safety and environmental legislation and regulations specific to the substance or mixture

#### EU Regulation (EC) No. 1907/2006 (REACH)

**Annex XIV - List of substances subject to authorization** 

## **Annex XIV**

None of the components are listed.

#### **Substances of Extremely Concern**

Component name	Intrinsic property	State	Number of reference	Date of revision
-Methoxyethanol	Toxic to the reproduction	Candidate	ED / 95/2010	15-12-2010
2-ethoxyethanol	Toxic to the reproduction	Candidate	ED / 95/2010	15-12-2010

Date of issue / Date of :14-6-2019 Page: 14/17 revision

## **SECTION 15: Regulatory information**

**Annex XVII - Restrictions** : Not applicable.

on

manufacturing,

placing on the market and use

of certain substances,

preparations and articles

dangerous

Other EU regulations

VOC : The provisions of the VOC Directive 2004/42 / EC apply to this product. Consult the

product label and / or data sheet for further information.

**VOC for ready-to-use** 

mixtures

: Not applicable.

Substances harmful to the ozone layer (1005/2009 / EU)

Not in the list.

Prior Inform Consent (PIC - Prior Inform Consent) (649/2012 / UE) Not in

the list.

**Seveso Directive** 

This product is not controlled under the Seveso Directive.

**National standards** 

:Not classified. Legislative Decree 152/06

**International Regulations** 

Chemical Weapons Convention List - Tables I, II and III Chemical Compounds

Not in the list.

Montreal Protocol (Annexes A, B, C, E) Not

in the list.

Stockholm Convention on Persistent Organic Pollutants Not in

the list.

Rotterdam Convention on Prior Informed Consent (PIC) Not in the list.

UNECE Protocol to the Aarhus Convention on Persistent Organic Pollutants and Heavy Metals Not in the

list.

15.2 Evaluation of chemical safety

:No chemical safety assessment has been carried out.

## **SECTION 16: other information**

:1 **CEPE code** 

Indicates information that has changed from previously issued.

**Abbreviations and acronyms** : ATE = Estimation of Acute Toxicity

CLP = Classification, Labeling and Packaging [Regulation (EC) No. 1272/2008] DMEL =

Derived level with minimal effects DNEL = Derived No Effect Level

EUH indication = CLP specific risk provisions PBT = Persistent,

Bioaccumulative, Toxic

PNEC = Predicted No Effect Concentration RRN =

**REACH Registration Number** 

vPvB = Very Persistent and Very Bioaccumulative

#### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP / GHS)]

Classification	Justification	
Aquatic Chronic 3, H412	Calculation method	

Date of issue / Date of :14-6-2019 Page: 15/17 revision

## **SECTION 16: other information**

#### Full text of abbreviated hazard statements

<b>⊮</b> 225	Highly flammable liquid and vapor.
H226	Flammable liquid and vapor.
H301	Toxic if ingested.
H302	Harmful if swallowed.
H304	It can be fatal if swallowed and if it enters the respiratory tract.
H311	Toxic in contact with the skin.
H312	Harmful in contact with skin.
H314	It causes serious skin burns and serious eye injuries.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction. Causes
H318	serious eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	It can irritate the respiratory tract. It can
H336	cause drowsiness or dizziness. Suspected
H351	of causing cancer.
H360FD	May damage fertility. It can harm the unborn child.
H361d	Suspected of damaging the unborn child.
H370	It causes damage to organs.
H373 (oral)	May cause damage to organs through prolonged or repeated
	exposure if swallowed.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic organisms.
H410	Very toxic to aquatic life with long lasting effects. Harmful to aquatic
H412	life with long lasting effects.

#### Full text of classifications [CLP / GHS]

Full text of classifications [CLP / GHS]	
<b>⊭</b> cute Tox. 3, H301	ACUTE TOXICITY (oral) - Category 3 ACUTE TOXICITY (skin) -
Acute Tox. 3, H311	Category 3 ACUTE TOXICITY (inhalation) - Category 3 ACUTE
Acute Tox. 3, H331	TOXICITY (oral) - Category 4 ACUTE TOXICITY (skin) - Category 4
Acute Tox. 4, H302	ACUTE TOXICITY (inhalation) - Category 4 DANGER A SHORT-
Acute Tox. 4, H312	TERM (ACUTE) FOR THE AQUATIC ENVIRONMENT - Category 1
Acute Tox. 4, H332	
Aquatic Acute 1, H400	
Aquatic Chronic 1, H410	LONG-TERM (CHRONIC) HAZARD TO THE AQUATIC ENVIRONMENT - Category 1
Aquatic Chronic 3, H412	LONG-TERM (CHRONIC) HAZARD TO THE AQUATIC ENVIRONMENT - Category 3
Asp. Tox. 1, H304	ASPIRATION HAZARD - Category 1 CARCINOGENICITY -
Carc. 2, H351	Category 2
Eye Dam. 1, H318	SERIOUS EYE DAMAGE / EYE IRRITATION - Category 1 FLAMMABLE
Flam. Liq. 2, H225	LIQUIDS - Category 2
Flam. Liq. 3, H226	FLAMMABLE LIQUIDS - Category 3
Repr. 1B, H360FD	REPRODUCTIVE TOXICITY (Fertility and Unborn Child) -
	Category 1B
Repr. 2, H361d	REPRODUCTION TOXICITY (Unborn child) - Category 2 SKIN
Skin Corr. 1B, H314 Skin	CORROSION / IRRITATION - Category 1B SKIN CORROSION /
Irrit. 2, H315 Skin Sens. 1,	IRRITATION - Category 2 SKIN SENSITIZATION - Category 1
H317 Skin Sens. 1A, H317	
STOT RE 2, H373 (oral)	SKIN SENSITIZATION - Category 1A SPECIFIC TARGET
	ORGAN TOXICITY (REPEATED EXPOSURE) (oral) -
	Category 2 SPECIFIC TARGET ORGAN TOXICITY
STOT RE 2, H373	(REPEATED EXPOSURE) - Category 2
STOT SE 1, H370	SPECIFIC TOXICITY TO TARGET ORGANS (SINGLE
	EXPOSURE) - Category 1
STOT SE 3, H335	SPECIFIC TOXICITY TO TARGET ORGANS (SINGLE EXPOSURE)
	(Irritation of the respiratory tract) - Category 3

Date of issue / Date of revision

:14-6-2019

Page: 17/17

HERBOXAN QUARTZ

#### SECTION 16: other information

STOT SE 3, H336 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Narcosis) - Category 3

Print date : 14-6-2019 **Date of issue / Date of** : 14-6-2019

revision

**Date of issue** : 21-12-2018

previous one

Version : 18

#### Notice to the reader

IMPORTANT NOTE. The information contained in this sheet is not to be considered exhaustive and is based on our current technical knowledge and on the laws in force: anyone who uses the product for purposes other than those specifically suggested in the technical sheet, without having previously obtained our written authorization, does so. at your own risk. It is always the user's responsibility to take all necessary measures to comply with the requirements of local laws. Always read the safety data sheet and the technical data sheet of this product, if available. All suggestions or statements made by us regarding the product (whether in this sheet or otherwise) are correct to the best of our knowledge, however, the quality or condition of the media or the many external factors affecting the use and application of the product are beyond our control. Consequently, in the absence of a specific written agreement, we accept no responsibility for the performance of the product or for any loss or damage resulting from its use. All products and technical advice provided comply with our standard terms and conditions of sale. We recommend that you ask for a copy of this document and read it carefully. The information contained in this sheet is subject to periodic changes, in the light of the experiences acquired and our policy of continuous development. It is the user's responsibility to verify that this sheet is up to date before using the product.

This data sheet mentions trademarks owned or licensed to AkzoNobel.

Date of issue / Date of revision

:14-6-2019

Page: 17/17